




Mașină Dispozitive Ajutor


Security
Configurati...




 **Start** |   |



 **Capturing...**

File Edit
New.





Mașină Dispozitive Ajutor



Security
Configurati...



Recycle Bin


Start




12:33 PM




Administrator

 **Manage Your Server**


 **Windows Explorer**

 Command Prompt

 Notepad

 **My Computer**

 **Control Panel** ▶

 **Administrative Tools** ▶

 **Printers and Faxes**

 **Help and Support**

 **Search**

 **Run...**

All Programs ▶

New programs installed.

Off  Shut Down


Recycle Bin

Manage Your Server



Manage Your Server

Server: L15SERVER

Search Help and Support Center

File Server

File servers provide and manage access to files.

- Manage this file server
- Add shared folders
- Review the next steps for this role

Domain Controller (Active Directory)

Domain controllers use Active Directory to manage network resources such as users, computers, and applications.

- Manage users and computers in Active Directory
- Manage domains and trusts
- Manage sites and services
- Review the next steps for this role

DNS Server

DNS (Domain Name System) servers translate domain and computer DNS names to IP addresses.

- Manage this DNS server

Server Ma

See Also

- Help and S
- Microsoft
- Deployer
- List of Con
- Tasks
- Windows S
- What's Ne
- Strategic 1
- Program

dnsmgmt - [DNS]

File Action View Window Help




DNS

- L1SERVER

DNS 1 server(s)

Name
L1SERVER

dnsmgmt - [DNS\L15SERVER]



DNS

- L15SERVER

L15SERVER

Name
Event Viewer
Forward Lookup Zones
Reverse Lookup Zones
Root Hints
Forwarders

dnsmgmt - [DNS\L15SERVER]




DNS

- + L15SERVER

L15SERVER

Name
Event Viewer
Forward Lookup Zones
Reverse Lookup Zones
Root Hints
Forwarders

dnsmgmt - [DNS\L15SERVER]



DNS

- L15SERVER
 - Event Viewer
 - Forward Lookup Zones
 - Reverse Lookup Zones

L15SERVER

Name
Event Viewer
Forward Lookup Zones
Reverse Lookup Zones
Root Hints
Forwarders



DNS

- L15SERVER
 - Event Viewer
 - Forward Lookup Zones
 - _msdcs.LAHUN.LOCAL
 - LAHUN.LOCAL**
 - Reverse Lookup Zones

LAHUN.LOCAL 12 record(s)

Name	Type	Data
_msdcs		
_sites		
_tcp		
_udp		
DomainDnsZones		
ForestDnsZones		
TAPI3Directory		
(same as parent folder)	Start of Authority (SOA)	[29], l15server.la
(same as parent folder)	Name Server (NS)	l15server.lahun.lc
(same as parent folder)	Host (A)	10.0.0.2
l15server	Host (A)	10.0.0.2
pc1	Host (A)	10.0.0.10

Manage Your Server



Manage Your Server

Server: L15SERVER

Search Help and Support Center

File Server

File servers provide and manage access to files.

- Manage this file server
- Add shared folders
- Review the next steps for this role

Domain Controller (Active Directory)

Domain controllers use Active Directory to manage network resources such as users, computers, and applications.

- Manage users and computers in Active Directory
 - Opens the console for administering and publishing information in the directory.
- Manage sites and services
- Review the next steps for this role

DNS Server

DNS (Domain Name System) servers translate domain and computer DNS names to IP addresses.

- Manage this DNS server


Server Ma

See Also

- Help and S
- Microsoft
- Deploymer
- List of Con
- Tasks
- Windows S
- What's Ne
- Program

Active Directory Users and Computers

File Action View Window Help




- Active Directory Users and Computer
- Saved Queries
- LAHUN.LOCAL**

LAHUN.LOCAL 6 objects

Name	Type	Description
Builtin	builtinDomain	
Computers	Container	Default container for u
Domain Cont...	Organizational Unit	Default container for c
Foreign Secur...	Container	Default container for s
Users	Container	Default container for u
Utilizatori	Organizational Unit	

Active Directory Users and Computers

File Action View Window Help



- Active Directory Users and Computer
- + Saved Queries
- LAHUN.LOCAL
 - + Built-in
 - + Computer
 - Domain
 - + Foreign
 - Users

LAHUN.LOCAL 5 objects

Name	Type	Description
	builtinDomain	
	Container	Default container for u
	Organizational Unit	Default container for c
	Container	Default container for s
	Container	Default container for u

- Delegate Control...
- Find...
- Connect to Domain...
- Connect to Domain Controller...
- Raise Domain Functional Level...
- Operations Masters...
- New**
 - Computer
 - Contact
 - Group
 - InetOrgPerson
 - MSMQ Queue Alias
 - Organizational Unit**
 - Printer
 - User
 - Shared Folder
- All Tasks
- View
- New Window from Here
- Refresh
- Export List...
- Properties
- Help

Create a new object...

New Object - Organizational Unit



Create in: LAHUN.LOCAL/

Name:

Utilizatori

OK


Cancel

Description

Default container for u
Default container for c
Default container for s
Default container for u

Active Directory Users and Computers

File Action View Window Help



- Active Directory Users and Computer
- + Saved Queries
- LAHUN.LOCAL
 - + Builtin
 - + Computers
 - Domain Controllers
 - + ForeignSecurityPrincipals
 - U

Utilizatori 0 objects

Name ▲	Type	Description
--------	------	-------------

There are no items to show in this view.

- Delegate Control...
- Move...
- Find...
- New**
 - Computer
 - Contact
 - Group
 - InetOrgPerson
 - MSMQ Queue Alias
 - Organizational Unit**
 - Printer
 - User
 - Shared Folder
- All Tasks
- View
 - New Window from Here
- Cut
- Delete
- Rename
- Refresh
- Export List...
- Properties
- Help

New Object - Organizational Unit



Create in: LAHUN.LOCAL/Utilizatori

Name:

Elev

OK

Cancel

New Object - Organizational Unit



Create in: LAHUN.LOCAL/Utilizatori

Name:


Elevi

OK

Cancel

Active Directory Users and Computers

File Action View Window Help



- Active Directory Users and Computer
 - Saved Queries
 - LAHUN.LOCAL
 - Builtin
 - Computers
 - Domain Controllers
 - ForeignSecurityPrincipals
 - Users
 - Utilizatori
 - Elevi

Elevi 0 objects

Name ▲	Type	Description
--------	------	-------------

There are no items to show in this view.

Active Directory Users and Computers

File Action View Window Help

Active Directory Users and Computer

- Saved Queries
- LAHUN.LOCAL
 - Builtin
 - Computers
 - Domain Controllers
 - ForeignSecurityPrincipals
 - Users
 - Utilizatori
 - Elevi

Utilizatori 1 objects

Name	Type	Description
Elevi	Organizational Unit	

- Delegate Control...
- Move...
- Find...
- New**
 - Computer
 - Contact
 - Group
 - InetOrgPerson
 - MSMQ Queue Alias
 - Organizational Unit**
 - Printer
 - User
 - Shared Folder
- All Tasks
- View
- New Window from Here
- Cut
- Delete
- Rename
- Refresh
- Export List...
- Properties
- Help

Create a new object...

New Object - Organizational Unit



Create in: LAHUN.LOCAL/Utilizatori

Name:


Profesor

OK

Cancel

Active Directory Users and Computers

File Action View Window Help



- Active Directory Users and Computer
 - Saved Queries
 - LAHUN.LOCAL
 - Builtin
 - Computers
 - Domain Controllers
 - ForeignSecurityPrincipals
 - Users
 - Utilizatori
 - Elevi
 - Profesori

Profesori 0 objects

Name ▲	Type	Description
--------	------	-------------

There are no items to show in this view.

Active Directory Users and Computers

File Action View Window Help

Active Directory Users and Computer

- Saved Queries
- LAHUN.LOCAL
 - Builtin
 - Computers
 - Domain Controllers
 - ForeignSecurityPrincipals
 - Users
 - Utilizato
 - Elev
 - Prof

Elevi 0 objects

Name ▲	Type	Description
--------	------	-------------

There are no items to show in this view.

- Delegate Control...
- Moye...
- Find...
- New**
 - Computer
 - Contact
 - Group
 - InetOrgPerson
 - MSMQ Queue Alias
 - Organizational Unit
 - Printer
 - User**
 - Shared Folder
- All Tasks
- View
- New Window from Here
- Cut
- Delete
- Rename
- Refresh
- Export List...
- Properties
- Help

Create a new object.

New Object - User

Create in: LAHUN.LOCAL/Utilizatori/Elevi

First name: Initials:

Last name:

Full name:

User logon name: @LAHUN.LOCAL

User logon name (pre-Windows 2000): LAHUN\

< Back Next > Cancel

Description

in this view.

New Object - User

Create in: LAHUN.LOCAL/Utilizatori/Elevi

First name: Initials:

Last name:

Full name:

User logon name: @LAHUN.LOCAL

User logon name (pre-Windows 2000):

< Back Next Cancel

Description
in this view.

New Object - User

Create in: LAHUN.LOCAL/Utilizatori/Elevi

Password: [.....]

Confirm password: [.....]

User must change password at next logon

User cannot change password

Password never expires

Account is disabled

< Back Next > Cancel

Description

in this view.

New Object - User

Create in: LAHUN.LOCAL/Utilizatori/Elevi

Password: [.....]

Confirm password: [.....]

User must change password at next logon

User cannot change password

Password never expires

Account is disabled

< Back Next > Cancel

Description

in this view.

New Object - User

Create in: LAHUN.LOCAL/Utilizatori/Elevi

Password: [.....]

Confirm password: [.....]

User must change password at next logon

User cannot change password

Password never expires

Account is disabled

< Back Next > Cancel

Description

in this view.

New Object - User



Create in: LAHUN.LOCAL/Utilizatori/Elevi

When you click Finish, the following object will be created:

Full name: elev k. karpen
 User logon name: elev@LAHUN.LOCAL
 The user cannot change the password.

< Back Finish Cancel

Active Directory Users and Computers

File Action View Window Help



Active Directory Users and Computer

- +
- Folder Saved Queries
- [-] LAHUN.LOCAL
 - +
 - Folder Builtin
 - +
 - Folder Computers
 - Folder Domain Controllers
 - +
 - Folder ForeignSecurityPrincipals
 - Folder Users
 - [-] Utilizatori
 - Folder **Elevi**
 - Folder Profesori

Elevi 1 objects

Name ▲	Type	Description
elev k. karpen	User	

Active Directory Users and Computers

File Action View Window Help

Active Directory Users and Computer

- Active Directory Users and Computer
 - Saved Queries
 - LAHUN.LOCAL
 - Builtin
 - Computers
 - Domain Controllers
 - ForeignSecurityPrincipals
 - Users
 - Utilizatori
 - Elevi
 - Profesori

Profesori 0 objects

Name ▲	Type	Description
There are no items to show in this view.		

- Delegate Control...
- Move...
- Find...
- New**
 - Computer
 - Contact
 - Group
 - InetOrgPerson
 - MSMQ Queue Alias
 - Organizational Unit
 - Printer
 - User**
 - Shared Folder
- All Tasks
- View
 - New Window from Here
- Cut
- Delete
- Rename
- Refresh
- Export List...
- Properties
- Help

Create a new object...

New Object - User



Create in: LAHUN.LOCAL/Utilizatori/Profesori

First name: [] Initials: []

Last name: []

Full name: []

User logon name: [] @LAHUN.LOCAL

User logon name (pre-Windows 2000): LAHUN\ []

< Back Next > Cancel

New Object - User

Create in: LAHUN.LOCAL/Utilizatori/Profesori

First name: profesor Initials: K

Last name: karpén

Full name: profesor K. karpén

User logon name: profesor @LAHUN.LOCAL

User logon name (pre-Windows 2000): LAHUN\ profesor

< Back Next > Cancel

Description

in this view.

New Object - User

Create in: LAHUN.LOCAL/Utilizatori/Profesori

Password: [.....]

Confirm password: [.....]

User must change password at next logon

User cannot change password

Password never expires

Account is disabled

< Back Next > Cancel

Description

in this view.

New Object - User

Create in: LAHUN.LOCAL/Utilizatori/Profesori

Password: [.....]

Confirm password: [.....]

User must change password at next logon

User cannot change password

Password never expires

Account is disabled

< Back Next > Cancel

Description

in this view.

New Object - User

Create in: LAHUN.LOCAL/Utilizatori/Profesori

Password: [.....]

Confirm password: [.....]

User must change password at next logon

User cannot change password

Password never expires

Account is disabled

< Back Next > Cancel

Description

in this view.

New Object - User

Create in: LAHUN.LOCAL/Utilizatori/Profesori

Password: [.....]

Confirm password: [.....]

User must change password at next logon

User cannot change password

Password never expires

Account is disabled

< Back Next > Cancel

Description

in this view.

New Object - User



Create in: LAHUN.LOCAL/Utilizatori/Profesori

When you click Finish, the following object will be created:

Full name: profesor K. karpen
User logon name: profesor@LAHUN.LOCAL
The user cannot change the password.

< Back Finish Cancel

Active Directory Users and Computers

File Action View Window Help



- Active Directory Users and Computer
 - Saved Queries
 - LAHUN.LOCAL
 - Builtin
 - Computers
 - Domain Controllers
 - ForeignSecurityPrincipals
 - Users
 - Utilizatori
 - Elevi
 - Profesori

Profesori 1 objects

Name	Type	Description
profesor K. k...	User	



Active Directory Users and Computers

File Action View Window Help



Active Directory Users and Computer

- [-] Saved Queries
- [-] LAHUN.LOCAL
 - [-] Built-in
 - [-] Computers
 - [-] Domain Controllers
 - [-] ForeignSecurityPrincipals
 - [-] Users
 - [-] Utilizatori
 - [+] Elevi
 - [+] Profe

Elevi 1 objects

Name	Type	Description
elev k. karpen	User	

- Delegate Control...
- Move...
- Find...
- New >
- All Tasks >
- View >
- New Window from Here
- Cuț
- Delete
- Rename
- Refresh
- Export List...
- Properties**
- Help

Opens the properties of the selected object.

Active Directory

File Action View

← → ↶ ↷

- Active Directory Users and Computers
- + Saved Queries
- LAHUN.LOCAL
 - + Builtin
 - + Computers
 - + Domain Controllers
 - + ForeignSecurityPrincipals
 - + Users
 - Utilizatori
 - + Elevi
 - + Profesori

Elevi Properties

- General
- Managed By
- COM+
- Group Policy



Elevi

Description:

Street:

City:

State/province:

Zip/Postal Code:

Country/region:

OK

Cancel

Apply

Description

Active Directory

File Action View

← → ↗ ↘

- Active Directory Users and Computers
- + Saved Queries
- LAHUN.LOCAL
 - + Builtin
 - + Computers
 - Domain Controllers
 - + ForeignSecurityPrincipals
 - Users
 - Utilizatori
 - Elevi
 - Profesori

Elevi Properties

General Managed By COM+ Group Policy

To improve Group Policy management, upgrade to the Group Policy Management Console (GPMC).



Current Group Policy Object Links for Elevi

Group Policy Object Links	No Override	Disabled

Group Policy Objects higher in the list have the highest priority. This list obtained from: I15server.LAHUN.LOCAL

Block Policy inheritance

Description

Active Directory

File Action View

Active Directory Users and Computers

- Active Directory Users and Computers
- LAHUN.LOCAL
- Built-in
- Computers
- Domain Controllers
- ForeignSecurityPrincipals
- Users
- Utilizatori
- Elevi
- Profesori

Elevi Properties

General | Managed By | COM+ | Group Policy

To improve Group Policy management, [upgrade](#) to the Group Policy Management Console (GPMC).



Current Group Policy Object Links for Elevi

Group Policy Object Links	No Override	Disabled
politica securitate elevi		

Group Policy Objects higher in the list have the highest priority.
This list obtained from: I15server.LAHUN.LOCAL

Block Policy inheritance

Close Cancel Apply

Description

Group Policy Object Editor

File Action View Help



- politica securitate elevi [15server.l
- + Computer Configuration
- + **User Configuration**

User Configuration

Select an item to view its description.

- | Name |
|--------------------------|
| Software Settings |
| Windows Settings |
| Administrative Templates |

Extended Standard

Group Policy Object Editor

File Action View Help



- politica securitate elevi [15server.l
- [-] Computer Configuration
 - [+] Software Settings
 - [+] Windows Settings
 - [+] Administrative Templates
- [-] User Configuration
 - [+] Software Settings
 - [+] Windows Settings
 - [+] Administrative Templates

Administrative Templates

Select an item to view its description.

Setting

- Windows Components
- Start Menu and Taskbar
- Desktop
- Control Panel
- Shared Folders
- Network
- System

Extended Standard

Group Policy Object Editor

File Action View Help



- politica securitate elevi [115server.l
- Computer Configuration
 - Software Settings
 - Windows Settings
 - Administrative Templates
- User Configuration
 - Software Settings
 - Windows Settings
 - Administrative Templates

Administrative Templates

Start Menu and Taskbar

Description: Contains settings that allow you to add, remove, or disable items from the Start menu, taskbar, and notification area.

Setting

- Windows Components
- Start Menu and Taskbar
- Desktop
- Control Panel
- Shared Folders
- Network
- System

Extended Standard

Group Policy Object Editor

File Action View Help

- politica securitate elevi [115server.l
- [-] Computer Configuration
 - [+] Software Settings
 - [+] Windows Settings
 - [+] Administrative Templates
- [-] User Configuration
 - [+] Software Settings
 - [+] Windows Settings
 - [-] Administrative Templates
 - [+] Windows Components
 - Start Menu and Taskbar
 - [+] Desktop
 - [+] Control Panel
 - [+] Shared Folders
 - [+] Network
 - [+] System

Start Menu and Taskbar

Remove Run menu from Start Menu

Display [Properties](#)

Requirements:
At least Microsoft Windows 2000

Description:
Allows you to remove the Run command from the Start menu, Internet Explorer, and Task Manager.

If you enable this setting, the following changes occur:

- (1) The Run command is removed from the Start menu.
- (2) The New Task (Run) command is removed from Task Manager.

- Setting
- Remove user's folders from the Start menu
 - Remove links and access to Windows Explorer from Start menu
 - Remove common program groups from Start menu
 - Remove My Documents icon from Start menu
 - Remove Documents menu from Start menu
 - Remove programs on Settings menu
 - Remove Network Connections from Start menu
 - Remove Favorites menu from Start menu
 - Remove Search menu from Start menu
 - Remove Help menu from Start menu
 - Remove Run menu from Start menu**
 - Remove My Pictures icon from Start menu
 - Remove My Music icon from Start menu
 - Remove My Network Places icon from Start menu
 - Add Logoff to the Start menu
 - Remove Logoff on the Start menu

Extended Standard

Group Policy Objects

File Action View




- politica securitate
- Computer Configuration
 - Software Settings
 - Windows Settings
 - Administrative Templates
- User Configuration
 - Software Settings
 - Windows Settings
 - Administrative Templates
 - Windows Settings
 - Start Menu
 - Desktop
 - Control Panel
 - Shared Folders
 - Network
 - System

Remove Run menu from Start Menu Properties

Setting Explain

Remove Run menu from Start Menu

- Not Configured
- Enabled
- Disabled



Supported on: At least Microsoft Windows 2000

Previous Setting Next Setting

OK Cancel Apply

- ers from the Start
- access to Windows
- program groups from
- ments icon from Star
- ts menu from Start
- s on Settings menu
- Connections from St
- s menu from Start Me
- enu from Start Menu
- u from Start Menu
- u from Start Menu
- es icon from Start M
- icon from Start Men
- rk Places icon from
- Start Menu
- the Start Menu

Group Policy Objects

File Action View




- politica securitate
- Computer Configuration
 - Software Settings
 - Windows Settings
 - Administrative Templates
- User Configuration
 - Software Settings
 - Windows Settings
 - Administrative Templates
 - Windows Settings
 - Start Menu
 - Desktop
 - Control Panel
 - Shared Folders
 - Network
 - System

Remove Run menu from Start Menu Properties

Setting Explain

Remove Run menu from Start Menu


- Not Configured
- Enabled
- Disabled



Supported on: At least Microsoft Windows 2000

Previous Setting Next Setting

OK Cancel Apply



Group Policy Objects

File Action View

← → ↗ ↶


- politica securitate
- Computer Configuration
 - Software Settings
 - Windows Settings
 - Administrative Templates
- User Configuration
 - Software Settings
 - Windows Settings
 - Administrative Templates
 - Windows Firewall Settings
 - Start Menu
 - Desktop
 - Control Panel
 - Shared Folders
 - Network
 - System

Remove Search menu from Start Menu Properties

Setting Explain

Remove Search menu from Start Menu

- Not Configured
- Enabled
- Disabled



Supported on: At least Microsoft Windows 2000

Previous Setting Next Setting

OK Cancel Apply

...ders from the Start M
 ...access to Windows I
 ...program groups from
 ...ments icon from Star
 ...ts menu from Start f
 ...s on Settings menu
 ...Connections from St
 ...s menu from Start Me
 ...enu from Start Menu
 ...u from Start Menu
 ...u from Start Menu
 ...es icon from Start M
 ...icon from Start Men
 ...rk Places icon from
 ...Start Menu
 ...the Start Menu

Group Policy Objects

File Action View

← → ↗ ↻


- politica securitate
- Computer Configuration
 - Software Settings
 - Windows Settings
 - Administrative Templates
- User Configuration
 - Software Settings
 - Windows Settings
 - Administrative Templates
 - Windows Firewall Settings
 - Start Menu
 - Desktop
 - Control Panel
 - Shared Folders
 - Network
 - System

Remove Run menu from Start Menu Properties

Setting Explain

Remove Run menu from Start Menu

- Not Configured
- Enabled
- Disabled



Supported on: At least Microsoft Windows 2000

Previous Setting Next Setting

OK Cancel Apply

...ders from the Start M
 ...access to Windows I
 ...program groups from
 ...ments icon from Star
 ...ts menu from Start f
 ...s on Settings menu
 ...Connections from St
 ...s menu from Start Me
 ...enu from Start Menu
 ...u from Start Menu
 ...u from Start Menu
 ...es icon from Start M
 ...icon from Start Men
 ...rk Places icon from
 ...Start Menu
 ...the Start Menu



Group Policy Obj...

File Action View

← → ↗ ↖

- politica securitate
- Computer Con...
- Software S...
- Windows S...
- Administra...
- User Configura...
- Software S...
- Windows S...
- Administra...
- Window...
- Start M...
- Desktc...
- Contrc...
- Sharec...
- Netwo...
- System...

Remove Run menu from Start Menu Properties

Setting Explain

Remove Run menu from Start Menu

Allows you to remove the Run command from the Start menu, Internet Explorer, and Task Manager.

If you enable this setting, the following changes occur:

- (1) The Run command is removed from the Start menu.
- (2) The New Task (Run) command is removed from Task Manager.
- (3) The user will be blocked from entering the following into the Internet Explorer Address Bar:
 - A UNC path: \\<server>\<share>
 - Accessing local drives: e.g., C:
 - Accessing local folders: e.g., \temp>

Also, users with extended keyboards will no longer be able to display the Run dialog box by pressing the Application key (the key with the Windows logo) + R.

Previous Setting Next Setting

OK Cancel Apply

...ders from the Start I

...access to Windows I

...program groups from

...ments icon from Star

...ts menu from Start f

...s on Settings menu

...Connections from St

...s menu from Start Me

...enu from Start Menu

...u from Start Menu

...u from Start Menu

...es icon from Start M

...icon from Start Men

...rk Places icon from

...Start Menu

...the Start Menu

Group Policy Objects

File Action View

← → ↕

- politica securitate...
- Computer Configuration
 - Software Settings
 - Windows Settings
 - Administrative Templates
- User Configuration
 - Software Settings
 - Windows Settings
 - Administrative Templates
 - Windows Firewall Settings
 - Start Menu
 - Desktop
 - Control Panel
 - Shared Folders
 - Network
 - System

Remove Run menu from Start Menu Properties

Setting Explain

Remove Run menu from Start Menu

Allows you to remove the Run command from the Start menu, Internet Explorer, and Task Manager.

If you enable this setting, the following changes occur:

- (1) The Run command is removed from the Start menu.
- (2) The New Task (Run) command is removed from Task Manager.
- (3) The user will be blocked from entering the following into the Internet Explorer Address Bar:
 - A UNC path: \\<server>\<share>
 - Accessing local drives: e.g., C:
 - Accessing local folders: e.g., \temp>

Also, users with extended keyboards will no longer be able to display the Run dialog box by pressing the Application key (the key with the Windows logo) + R.

Previous Setting Next Setting

OK Cancel Apply

...ders from the Start menu
 ...access to Windows I
 ...program groups from
 ...ments icon from Star
 ...ts menu from Start f
 ...s on Settings menu
 ...Connections from St
 ...s menu from Start Me
 ...enu from Start Menu
 ...u from Start Menu
 ...u from Start Menu
 ...es icon from Start M
 ...icon from Start Men
 ...rk Places icon from
 ...Start Menu
 ...the Start Menu

Group Policy Obj...

File Action View

← → ↗ ↖

- politica securitate
- Computer Con...
 - Software S...
 - Windows S...
 - Administra...
- User Configura...
 - Software S...
 - Windows S...
 - Administra...
 - Window...
 - Start M...
 - Desktc...
 - Contrc...
 - Sharec...
 - Netwo...
 - System...

Remove Run menu from Start Menu Properties

Setting Explain

Remove Run menu from Start Menu

Allows you to remove the Run command from the Start menu, Internet Explorer, and Task Manager.

If you enable this setting, the following changes occur:

- (1) The Run command is removed from the Start menu.
- (2) The New Task (Run) command is removed from Task Manager.
- (3) The user will be blocked from entering the following into the Internet Explorer Address Bar:
 - A UNC path: \\<server>\<share>
 - Accessing local drives: e.g., C:
 - Accessing local folders: e.g., \temp>

Also, users with extended keyboards will no longer be able to display the Run dialog box by pressing the Application key (the key with the Windows logo) + R.

Previous Setting Next Setting

OK Cancel Apply

[-] [□] [X]

ders from the Start I
 access to Windows I
 program groups from
 nents icon from Star
 ts menu from Start f
 s on Settings menu
 Connections from St
 s menu from Start Me
 enu from Start Menu
 u from Start Menu
 u from Start Menu
 es icon from Start M
 icon from Start Men
 rk Places icon from
 Start Menu
 the Start Menu

Active Directory

File Action View

← → ↗ 📄

- Active Directory Users and Computers
- SAVED QUERIES
- LAHUN.LOCAL
 - Built-in
 - Computers
 - Domain Controllers
 - ForeignSecurityAccountNames
 - Users
 - Utilizatori
 - Elevi
 - Profesori

Elevi Properties

General Managed By COM+ Group Policy

To improve Group Policy management, [upgrade](#) to the Group Policy Management Console (GPMC).



Current Group Policy Object Links for Elevi

Group Policy Object Links	No Override	Disabled
politica securitate elevi		

Group Policy Objects higher in the list have the highest priority.
This list obtained from: I15server.LAHUN.LOCAL

Block Policy inheritance

Description



Manage Your Server

Active Directory Users a...


12:51 PM


Administrator


 **Manage Your Server**

 **Windows Explorer**


 **Command Prompt**


 **Notepad**


 **My Computer**

 **Control Panel**

 **Administrative Tools**

 **Printers and Faxes**

 **Help and Support**


 **Search**

 **Run...**

Opens a program, folder, document, or Web site.

All Programs

New programs installed.

Off  **Shut Down**

Mașină Dispozitive Ajutor

Active Directory Elevi Properties ? X

File Action View General Managed Bu COM+ Group Policy

C:\WINDOWS\system32\cmd.exe

Microsoft Windows [Version 5.2.3790]
(C) Copyright 1985-2003 Microsoft Corp.

C:\Documents and Settings\Administrator>gpupdate /force_

Block Policy inheritance

Close Cancel Apply

Active Directory Elevi Properties ? X

File Action View General Managed Bu COM+ Group Policy

C:\WINDOWS\system32\cmd.exe

```
Microsoft Windows [Version 5.2.3790]
(C) Copyright 1985-2003 Microsoft Corp.

C:\Documents and Settings\Administrator>gpupdate /force
Refreshing Policy...

User Policy Refresh has completed.
Computer Policy Refresh has completed.

To check for errors in policy processing, review the event log.

C:\Documents and Settings\Administrator>
```

Block Policy inheritance

Close Cancel Apply

Active Directory

File Action View

Active Directory Users and Computers

- Active Directory Users and Computers
- LAHUN.LOCAL
- Built-in
- Computers
- Domain Controllers
- ForeignSecurityPrincipals
- Users
- Utilizatori
- Elevi
- Profesori

Elevi Properties

General | Managed By | COM+ | Group Policy

To improve Group Policy management, [upgrade](#) to the Group Policy Management Console (GPMC).



Current Group Policy Object Links for Elevi

Group Policy Object Links	No Override	Disabled
politica securitate elevi		


Group Policy Objects higher in the list have the highest priority.
This list obtained from: I15server.LAHUN.LOCAL

Block Policy inheritance

Description

Active Directory Users and Computers

File Action View Window Help




- Active Directory Users and Computer
 - Saved Queries
 - LAHUN.LOCAL
 - Builtin
 - Computers
 - Domain Controllers
 - ForeignSecurityPrincipals
 - Users
 - Utilizatori
 - Elevi**
 - Profesori

Elevi 1 objects

Name ▲	Type	Description
elev k. karpen	User	

Active Directory Users and Computers

File Action View Window Help



- Active Directory Users and Computer
 - Saved Queries
 - LAHUN.LOCAL
 - Builtin
 - Computers
 - Domain Controllers
 - ForeignSecurityPrincipals
 - Users
 - Utilizatori
 - Elevi**
 - Profesori

Elevi 1 objects

Name	Type	Description
elev k. karpen	User	

Manage Your Server



Manage Your Server

Server: L15SERVER

Search Help and Support Center

Your server has been configured with the following roles:

File Server

File servers provide and manage access to files.

- Read about server roles
- Read about remote administration

Manage this file server

Add shared folders

Review the this role

Runs the Add Shares Folders Wizard.

Domain Controller (Active Directory)

Domain controllers use Active Directory to manage network resources such as users, computers, and applications.

Manage users and computers in Active Directory

Manage domains and trusts

Manage sites and services

- More Tools
- Windows L
- Computer Information
- Internet E Security C
- Server Ma

See Also

- Help and S
- Deployer
- List of Con Tasks
- Windows S
- What's Ne
- Strategic 1 Program

Share a Folder Wizard



Welcome to the Share a Folder Wizard

This wizard helps you to share a folder on the computer you have selected. People using other computers can then gain access to the contents of the folder over the network.

To continue, click Next.

< Back Next > Cancel


Manage sites and services



Share a Folder Wizard

Folder Path

Specify the path to the folder you want to share.



Computer name: L15SERVER

Type the path to the folder you want to share, or click Browse to pick the folder or add a new folder.

Folder path: Browse...

Example: C:\Docs\Public

< Back Next > Cancel

Manage sites and services

- more tools
- Windows L
- Computer
- Informatio
- Internet E
- Security C
- Server Ma
- See Also
- Help and S
- Microsoft
- Deploymer
- List of Con
- Tasks
- Windows S
- What's Ne
- Strategic 1
- Program



Share a Folder Wizard

Folder Path

Specify the

Computer name

Type the path to the folder.

Folder path:

Example:

Browse For Folder

Pick a folder you would like to share. To add a new folder, click Make New Folder.

- My Computer
 - Local Disk (C:)
 - Documents and Settings
 - Program Files
 - PUBLIC
 - Tralalala
 - WINDOWS
 - wmpub

Folder: Local Disk (C:)

Make New Folder OK Cancel

< Back Next > Cancel

Manage sites and services



Share a Folder Wizard

Folder Path

Specify the

Computer name

Type the path to the folder.

Folder path:

Example:

Browse For Folder

Pick a folder you would like to share. To add a new folder, click Make New Folder.

- My Computer
- Local Disk (C:)
 - Documents and Settings
 - New Folder**
 - Program Files
 - PUBLIC
 - Tralalala
 - WINDOWS

Folder:

Manage sites and services



Share a Folder Wizard

Folder Path

Specify the

Computer name

Type the path to the folder.

Folder path:

Example:

Browse For Folder

Pick a folder you would like to share. To add a new folder, click Make New Folder.

- My Computer
- Local Disk (C:)
 - Documents and Settings
 - TEST1
 - Program Files
 - PUBLIC
 - Tralalala
 - WINDOWS

Folder: New Folder

Make New Folder

OK

Cancel

< Back

Next >


Cancel



Share a Folder Wizard

Folder Path

Specify the path to the folder you want to share.



Computer name: L15SERVER

Type the path to the folder you want to share, or click Browse to pick the folder or add a new folder.

Folder path: C:\TEST1

Example: C:\Docs\Public

< Back Next > Cancel

Manage sites and services

- more tools
- Windows L
- Computer
- Informatio
- Internet E
- Security C
- Server Ma
- See Also
- Help and S
- Microsoft
- Deploymer
- List of Con
- Tasks
- Windows S
- What's Ne
- Strategic 1
- Program



Share a Folder Wizard

Name, Description, and Settings

Specify how people see and use this share over the network.



Type information about the share for users. To modify how people use the content while offline, click Change.

Share name:

Share path:

Description:

Offline setting:

< Back Next > Cancel

Manage sites and services

- more tools
- Windows L
- Computer
- Informatio
- Internet E
- Security C
- Server Ma
- See Also
- Help and S
- Microsoft
- Deployer
- List of Con
- Tasks
- Windows S
- What's Ne
- Strategic 1
- Program

Share a Folder Wizard

Permissions

Specify permissions for the share.

Use one of the following basic share permissions or create custom share and folder permissions.

- All users have read-only access
- Administrators have full access; other users have read-only access
- Administrators have full access; other users have read and write access
- Use custom share and folder permissions [Customize...](#)

Permissions you set on this page only control access to the share; you might also want to set permissions on individual files and folders. For more information about permissions, see [Help](#).

To create the share, click Finish.

< Back Finish Cancel

Manage sites and services



Share a Folder Wizard

Permissions

Specify permissions for the share.



Use one of the following basic share permissions or create custom share and folder permissions.

- All users have read-only access
- Administrators have full access; other users have read-only access
- Administrators have full access; other users have read and write access

Use custom share and folder permissions

Customize...

Permissions you set on this page only control access to the share; you might also want to set permissions on individual files and folders. For more information about permissions, see [Help](#).

To create the share, click Finish.

< Back Finish Cancel

Manage sites and services

more tools

Windows L

Computer

Informatio

Internet E

Security C

Server Ma

See Also

Help and S

Microsoft

Deployer

List of Con

Tasks

Windows S

What's Ne

Strategic 1

Program



Share a Folder Wizard

Permissions

Specify permissions for the share.

Use one of the following basic share permissions or create custom share and folder permissions.

- All users have read-only access
- Administrators have full access; other users have read-only access
- Administrators have full access; other users have read and write access
- Use custom share and folder permissions

Customize...

Permissions you set on this page only control access to the share; you might also want to set permissions on individual files and folders. For more information about permissions, see [Help](#).

To create the share, click Finish.

< Back Finish Cancel

Manage sites and services

Manage Your Server

Customize Permissions

Share Permissions Security

Group or user names:

- Everyone

Add... Remove

Permissions for Everyone

Allow Deny

Permissions for Everyone	Allow	Deny
Full Control	<input type="checkbox"/>	<input type="checkbox"/>
Change	<input type="checkbox"/>	<input type="checkbox"/>
Read	<input checked="" type="checkbox"/>	<input type="checkbox"/>

OK Cancel

More Tools

- Windows L...
- Computer
- Informatio
- Internet E
- Security C
- Server Ma

See Also

- Help and S
- Microsoft
- Deployer
- List of Con
- Tasks
- Windows S
- What's Ne
- Strategic 1
- Program

to want to set
ns, see [Help](#).

Cancel

and services

Manage Your Server

Customize Permissions

Share Permissions Security

Group or user names:

- Everyone

Add... Remove

Permissions for Everyone

Allow Deny

Permissions for Everyone	Allow	Deny
Full Control	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Change	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Read	<input checked="" type="checkbox"/>	<input type="checkbox"/>

OK Cancel

more tools

Windows L

Computer

Information

Internet E

Security C

Server Ma

See Also

Help and S

Microsoft

Deployer

List of Con

Tasks

Windows S

What's Ne

Strategic 1

Program

and services

Cancel

Manage Your Server

Customize Permissions

Share Permissions Security

Group or user names:

- Everyone

Add... Remove

Permissions for Everyone

	Allow	Deny
Full Control	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Change	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Read	<input checked="" type="checkbox"/>	<input type="checkbox"/>

OK Cancel

more tools

Windows L

Computer

Information

Internet E

Security C

Server Ma

See Also

Help and S

Microsoft

Deployer

List of Con

Tasks

Windows S

What's Ne

Strategic 1

Program

and services

Cancel

Share a Folder Wizard

Permissions

Specify permissions for the share.

Use one of the following basic share permissions or create custom share and folder permissions.

- All users have read-only access
- Administrators have full access; other users have read-only access
- Administrators have full access; other users have read and write access
- Use custom share and folder permissions Customize...


Permissions you set on this page only control access to the share; you might also want to set permissions on individual files and folders. For more information about permissions, see [Help](#).

To create the share, click Finish.

< Back Finish Cancel

Manage sites and services

Share a Folder Wizard



Sharing was Successful

Status:

You have successfully completed the Share a Folder Wizard.

Summary:

You have selected the following share settings on \\L15SERVER:
Folder path: C:\TEST1
Share name: TEST1
Share path: \\L15SERVER\TEST1

When I click Close, run the wizard again to share another folder

To close this wizard, click Close.

Close Cancel

more tools

Windows L

Computer

Informatio

Internet E

Security C

Server Ma

See Also

Help and S

Microsoft

Deployer

List of Con

Tasks

Windows S

What's Ne

Strategic 1

Program

Manage sites and services

Manage Your Server



Manage Your Server

Server: L15SERVER

Search Help and Support Center

Your server has been configured with the following roles:

File Server

File servers provide and manage access to files.

- Read about server roles
- Read about remote administration

- Manage this file server
- Add shared folders
- Review the next steps for this role

Domain Controller (Active Directory)

Domain controllers use Active Directory to manage network resources such as users, computers, and applications.

- Manage users and computers in Active Directory
- Manage domains and trusts
- Manage sites and services

- More Tools
- Windows L
- Computer Information
- Internet E Security C
- Server Ma

- See Also**
- Help and S
 - Microsoft
 - Deployer
 - List of Con Tasks
 - Windows S
 - What's Ne
 - Strategic 1 Program